

MTH 361
Exam 3
Spring 2025

100 points possible. 8 problems at 12 points each, plus 4 free points.

1. Let $\sigma = (1\ 5\ 6)(1\ 4\ 5\ 3)$ in S_6 . Find the index of $\langle \sigma \rangle$ in S_6 .

2. Give the order of the element in the factor group.

$$(2, 2) + \langle (1, 2) \rangle \quad \text{in} \quad (\mathbb{Z}_3 \times \mathbb{Z}_9) / \langle (1, 2) \rangle$$

3. Classify the given group according to the fundamental theorem of finitely generated abelian groups.

$$(\mathbb{Z}_2 \times \mathbb{Z}_8) / \langle (0, 6) \rangle$$

4. Determine whether the given map ϕ is a homomorphism. Support your answer. (Thorough proof is not required.)

Let $\phi : \mathbb{Z}_7 \rightarrow \mathbb{Z}_2$ be given by

$\phi(x) =$ the remainder when x is divided by 2, as in the division algorithm.

5. Compute the indicated quantities for the given homomorphism ϕ .

$\text{Ker } \phi$ and $\phi(10)$ for $\phi : \mathbb{Z}_{20} \rightarrow S_8$ such that $\phi(1) = (1\ 6)(3\ 5\ 7\ 8)$

6. Give an example of a nontrivial homomorphism ϕ for the given groups, if an example exists. If no such homomorphism exists, explain why that is so.

$$\phi : \mathbb{Z}_{14} \rightarrow \mathbb{Z}_{13}$$

7. Prove that if a finite group G has exactly one subgroup H of a given order, then H is a normal subgroup of G .

8. Mark each of the following true or false. (No reasons required.)

Recall: A *torsion group* is a group all of whose elements have finite order. A group is *torsion free* if the identity is the only element of finite order.

- (a) Every finite group contains an element of every order that divides the order of the group.
- (b) It is not possible to have a nontrivial homomorphism of some finite group into some infinite group.
- (c) Only subgroups of finite groups can have left cosets.
- (d) An inner automorphism of an abelian group must be just the identity map.
- (e) Every factor group of a torsion group is a torsion group.
- (f) A homomorphism may have an empty kernel.